
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING										AMEI	FC NDED REPC	RM 3			
APPLICATION FOR PERMIT TO DRILL								1. WELL NAME and NUMBER Greater Monument Butte 16-7-9-19							
2. TYPE	OF WORK	RILL NEW WELL (REEN	NTER P&	A WEL	LL DEEPE	N WELL				3. FIELD OR WILDCAT PARIETTE BENCH				
4. TYPE	OF WELL	Oil	Well	Coalbe	ed Met	thane Well: NO					5. UNIT or COMMU		TION AGR (GRRV)	EEMENT	NAME
6. NAME	OF OPERATOR		NEWFIELD I	PRODUC	CTION	COMPANY					7. OPERATOR PHO	NE	46-4825		
8. ADDRI	ESS OF OPERA		Rt 3 Box 3								9. OPERATOR E-MA	IL	newfield.co	m	
	ERAL LEASE NO		110 3 BOX 3	030 , 11	11. N	MINERAL OWNE	RSHIP		<u> </u>	FEE (12. SURFACE OWN				FEE (
13. NAM		OWNER (if box	12 = 'fee')								14. SURFACE OWN				
15. ADDI	RESS OF SURF	ACE OWNER (if b	ox 12 = 'fe	ee')							16. SURFACE OWN	ER E-M	AIL (if box	12 = 'fe	ee')
		OR TRIBE NAME				INTEND TO COM		E PRODUCT	TION I	FROM	19. SLANT				
(if box 1	2 = 'INDIAN')					~		gling Applicat	tion)	NO 📵	VERTICAL (DIF	RECTION	IAL 💮	HORIZON	ITAL 🗍
20. LOC	ATION OF WE	LL		FO	OTAG	iES	QT	R-QTR	9	SECTION	TOWNSHIP	R	ANGE	МЕ	RIDIAN
LOCATI	ON AT SURFAC	CE		424 FS	SL 48	30 FEL		SESE 7		9.0 S	1	19.0 E		S	
Top of L	Jppermost Pro	ducing Zone		424 FS	SL 48	30 FEL		SESE		7	9.0 S	1	19.0 E		S
At Total	Depth			424 FS	SL 48	30 FEL		SESE 7		9.0 S	19.0 E			S	
21. COU	NTY	UINTAH			22. [DISTANCE TO N		T LEASE LIN 24	IE (Fe	et)	23. NUMBER OF AC		DRILLING 40	UNIT	
						DISTANCE TO No blied For Drilling	or Co		SAME	POOL	26. PROPOSED DEPTH MD: 5735 TVD: 5735				
27. ELEV	ATION - GROU	JND LEVEL 4764			28. E	BOND NUMBER	WYB0	00493			29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 43-7478				LICABLE
		1701			ŀ	Hole, Casing,			orma	ation					
String	Hole Size	Casing Size	Length	_	ight	Grade & Th		Max Mu		t.	Cement		Sacks	Yield	Weight
Surf Prod	7.875	8.625 5.5	0 - 300 0 - 5735		4.0 5.5	J-55 ST		8.3		Pren	Class G nium Lite High Stre	nath	138 258	3.43	15.8 11.0
1100	71073	3.3	0 3/33		3.3	3 33 210		0		116	50/50 Poz	ngen.	363	1.24	14.3
			,			Α٦	ГТАСН	IMENTS		1					
	VERIFY T	HE FOLLOWIN	G ARE AT	ГТАСН	ED II	N ACCORDAN	CE WI	TH THE U	TAH (OIL AND (GAS CONSERVATI	ON GE	NERAL F	RULES	
∠ w	ELL PLAT OR	MAP PREPARED E	BY LICENSE	ED SUR	VEYO	R OR ENGINEER	R	№ сом	1PLET	E DRILLING	i PLAN				
AF	FIDAVIT OF S	TATUS OF SURFA	ACE OWNER	R AGRE	EMEN	IT (IF FEE SURF	ACE)	FOR	M 5. I	F OPERATO	R IS OTHER THAN T	HE LEAS	SE OWNER	t	
,—	DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED) TOPOGRAPHICAL MA						PHICAL MAI	P							
NAME M	landie Crozier			TITLE	Regula	atory Tech				PHONE 435	646-4825				
SIGNAT	URE			DATE (03/09/	/2010				EMAIL mcr	ozier@newfield.com				
API NUI	API NUMBER ASSIGNED 43047509940000 APPROVAL														



NEWFIELD PRODUCTION COMPANY GREATER MONUMENT BUTTE 16-7-9-19 SE/SE SECTION 7, T9S, R19E UINTAH COUNTY, UTAH

TEN POINT DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta 0 – 1,195' Green River 1,195' Wasatch 5,735'

3. <u>ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:</u>

Green River Formation (Oil) 1,195' - 5,735'

Fresh water may be encountered in the Uinta Formation, but would not be expected below about 350'. All water shows and water bearing geologic units shall be reported to the geologic and engineering staff of the Vernal Office prior to running the next string of casing or before plugging orders are requested. All water shows must be reported within one (1) business day after being encountered.

All usable (<10,000 PPM TDS) water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. This information shall be reported to the Vernal Office.

Detected water flows shall be sampled, analyzed, and reported to the geologic & engineering staff of the Vernal Office. The office may request additional water samples for further analysis. Usage of the State of Utah form *Report of Water Encountered* is acceptable, but not required.

The following information is requested for water shows and samples where applicable:

Location & Sampled Interval

Flow Rate

Hardness

Water Classification (State of Utah)

Dissolved Iron (Fe) (ug/l)

Dissolved Magnesium (Mg) (mg/l)

Dissolved Carbonate (CO₃) (mg/l)

Dissolved Bicarbonate (NaHCO₃) (mg/l)
Dissolved Sulfate (SO₄) (mg/l)
Dissolved Total Solids (TDS) (mg/l)

Ten Point Well Program & Thirteen Point Well Program Page 2 of 9

4. PROPOSED CASING PROGRAM

a. Casing Design: Greater Monument Butte 16-7-9-19

	Interval		Majaba	Grade	Counling	Design Factors			
Size	Тор	Bottom	Weight	Glade	Coupling	Burst	Collapse	Tension	
Surface casing		000	24.0	J-55	ото	2,950	1,370	244,000	
8-5/8"	0"	300"			STC	17.53	14.35	33.89	
Prod casing		5 5051	15.5		1.70	4,810	4,040	217,000	
5-1/2"	0'	5,735'		J-55	LTC	2.64	2.21	2,44	

Assumptions:

- 1) Surface casing max anticipated surface press (MASP) = Frac gradient gas gradient
- 2) Prod casing MASP (production mode) = Pore pressure gas gradient
- 3) All collapse calculations assume fully evacuated casing w/ gas gradient
- 4) All tension calculations assume air weight

Frac gradient at surface casing shoe = 13.0 ppg
Pore pressure at surface casing shoe = 8.33 ppg
Pore pressure at prod casing shoe = 8.33 ppg
Gas gradient = 0.115 psi/ft

All casing shall be new or, if used, inspected and tested. Used casing shall meet or exceed API standards for new casing.

All casing strings shall have a minimum of 1 (one) centralizer on each of the bottom three (3) joints.

b. Cementing Design: Greater Monument Butte 16-7-9-19

		Donatalon	Sacks	ОН	Weight	Yield	
Job	Fill	Description	ft ³	Excess*	(ppg)	(ft³/sk)	
0 (1	2001	Class G w/ 2% CaCl	138	30%	15.8	1,17	
Surface casing	300'	Class G w/ 2% CaCl	161	3070	10.0	• • • •	
Prod casing	2.7251	Prem Lite II w/ 10% gel + 3%	258	30%	11.0	3.26	
Lead	3,735'	KCI	841	3070		0.20	
Prod casing	2,000'	50/50 Poz w/ 2% gel + 3%	363	30%	14.3	1.24	
Tail	2,000	KCI	451	0070			

^{*}Actual volume pumped will be 15% over the caliper log

- Compressive strength of lead cement: 1800 psi @ 24 hours, 2250 psi @ 72 hours
- Compressive strength of tail cement: 2500 psi @ 24 hours

Hole Sizes: A 12-1/4" hole will be drilled for the 8-5/8" surface casing. A 7-7/8" hole will be drilled for the 5-1/2" production casing.

The 8-5/8" surface casing shall in all cases be cemented back to surface. In the event that during the primary surface cementing operation the cement does not circulate to surface, or if the cement level should fall back more than 8 feet from surface, then a remedial surface cementing operation shall be performed to insure adequate isolation and stabilization of the surface casing.

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operator's minimum specifications for pressure control equipment are as follows:

Ten Point Well Program & Thirteen Point Well Program Page 3 of 9

An 8" Double Ram Hydraulic unit with a closing unit will be utilized. Function test of BOP's will be check daily.

Refer to Exhibit C for a diagram of BOP equipment that will be used on this well.

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

From surface to ±350 feet will be drilled with an air/mist system. The air rig is equipped with a 6 ½" blooie line that is straight run and securely anchored. The blooie line is used with a discharge less than 100 ft from the wellbore in order to minimize the well pad size. The blooie line is not equipped with an automatic igniter or continuous pilot light and the compressor is located less than 100 ft from the well bore due to the low possibility of combustion with the air dust mixture. The trailer mounted compressor (capacity of 2000 CFM) has a safety shut-off valve which is located 15 feet from the air rig. A truck with 70 bbls of water is on stand by to be used as kill fluid, if necessary. From about ±350 feet to TD, a fresh water system will be utilized. Clay inhibition and hole stability will be achieved with a KCl substitute additive. This additive will be identified in the APD and reviewed to determine if the reserve pit shall be lined. This fresh water system will typically contain Total Dissolved Solids (TDS) of less than 3000 PPM. Anticipated mud weight is 8.4 lbs/gal. If necessary to control formation fluids or pressure, the system will be weighted with the addition of bentonite gel, and if pressure conditions warrant, with barite

No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh aquifers.

No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of this well.

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

Newfield Production will visually monitor pit levels and flow from the well during drilling operations.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

8. TESTING, LOGGING AND CORING PROGRAMS:

The logging program will consist of a Dual Induction, Gamma Ray and Caliper log from TD to base of surface casing @ 300' +/-, and a Compensated Neutron-Formation Density Log from TD to 3500' +-. A cement bond log will be run from PBTD to cement top. No drill stem testing or coring is planned for this well.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous drilling in the area at this depth. Maximum anticipated

'APIWellNo:43047509940000'

Ten Point Well Program & Thirteen Point Well Program Page 4 of 9

bottomhole pressure will approximately equal total depth in feet multiplied by a 0.433 psi/foot gradient.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

It is anticipated that the drilling operations will commence the third quarter of 2010, and take approximately seven (7) days from spud to rig release.

2-M SYSTEM

Blowout Prevention Equipment Systems








EXHIBIT C







	noteda	Well	doned (e))		2	Section	• /		91	R E	2 2	2 2	+	
Newfield Wells	Surface Spuid Drilling Walting on Completion Producing Oil Well	Producing Gas Well Water Injection Well Dry Hole Temporarily Abandoned	Flugged & Abandoned Shut in Water Source Well Water Disposal Well	Injection Station	R J	+1 12	*1 *2 *3 *4	+3		9	3	a MEWEIGIN	ROCKY MOUNTAINS	Exhibit A Dubeste & Untak Creates
New .	* * e •		1		+5	***		*** *	12	2	R	* 2	4 <u> </u>	Die.
•	#	p.	Z.	n	1	18 15 11 12 12 14 14 14 14 14 14 14 14 14 14 14 14 14	æ	2	13 %	* **	12	я	-	2
*	=	2	п	×	+2.	4.5	** *** ***	Œ	+i = +i	*i n	22	R	2	Ξ
n	g	¥ E	u	a		1		ન	ž.	22	ħ	7		2
78		16 20	a.		R/50	1 3	* * * *34*1 4*14 4	00 X X + 00 P	ન ન	21.2	-fi	<u>+}</u>	Sec).	
20.0	n	n	2		· 1 · 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 /34 21 4 4	73 42 43 A		į.	전 6년 - 1년 - 1년 1년 - 1년		N	
ž.			e 6			447.2.	1 726 A	માના નાં નો માના નાં નો	** ** **	12	я -3	я		
4		2	23	西 明春春		e Viel Ne Viel Na Viel	107 - 12 of "	0 900	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	444		n	: 185	*
			•2	in dia		144	1 4 4 4 5 T	भू रहे हैं। उन्हें जनस्य	5 +2 +2 4 5 2 5 2 5 5	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	· n	g	1.50	2
	=	2	2 2 1		7 4 2 3	51 4 4 4 65 5 2 5	**		Ministe		<u>p</u> 2	*	~	=
	ę	*	21 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1 3 3		Tries and	14 11	4 4	1 47	7 7 1 2 7 1 3 7 2 2 7 5 2 2	100	8	*	
X	•			1 13 4		171 4° 174 794 14 794	0 (14) 0 (14) 0 (14) 0 (14)			2 2 2 2	e.1	я	-	
*			2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 1	40.47		10 14 10		TI A	4 4 4	- N	а		
W.	*	2	p 12	8	4444			(1.0 (1.0)	1212		44			1940
5	ŧ	9	· · · · · · · · · · · · · · · · · · ·	155	14 14 14 14 14 14 14 14 14 14 14 14 14 1		**************************************			વિવાસ વિવાસ વિવાસ વિવાસ વિવાસ	190 F	×	-	
e e	=	2	n			N.	10 1 10 10 10 10 10 10 10 10 10 10 10 10	14): 133		4 A 4 4				l e
n	9	S .	2	2 -7 -2 -9	TUE!	N 1 VI		7:-V	VANA VANA		2	*	*	1
	ı e	22 22 25		"	+1		12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2111				-1 ×	,	STATE
			£	2	***		1 7 3	200	4 4 4 4 4 4 2 4 4 4 4 4		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	g	٠	
*				- 1 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3	•7			1 1/14 1 4 4 4 1 4 4 4	1 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	A STATE OF S	: :: :::::::::::::::::::::::::::::::::	Ħ	7400	a
•		9	9]	-48 ·2	R 2	1	707			4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9S-R1	8	39.	8
ě	=	2	2	x	, r	* 4 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0 d2 1.	V = V	1444	V 4 4	1 44 4 1 44 4	20	j.	2
	5	2 No.	я	×	8 8	A N CO	1000 1000 1000 1000 1000 1000 1000 100	1 1 1 1	No.	449	2 2 2	*		1
0	5	1.48	a	8	*	,	2 2 3	Vill	1474 1474 1474 1474	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	e a	WCAL-S	9
•		2	*	z	a	*	•	2	1,000	1737	1 2 2 2		É	7.0



Ten Point Well Program & Thirteen Point Well Program Page 5 of 9

NEWFIELD PRODUCTION COMPANY GREATER MONUMENT BUTTE 16-7-9-19 SE/SE SECTION 7, T9S, R19E UINTAH COUNTY, UTAH

THIRTEEN POINT SURFACE PROGRAM

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Greater Monument Butte 16-7-9-19 located in the SE¼ SE¼ Section 7, T9S, R19W, S.L.B. & M., Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly – 14.7 miles \pm to it's junction with an existing road to the northeast; proceed easterly – 7.6 miles \pm to it's junction with the beginning of the proposed access road to the north; proceed along the proposed access road – 350' \pm to the proposed well location.

The highways mentioned in the foregoing paragraph are bituminous surfaced roads to the point where Highway 216 exists to the South, thereafter the roads are constructed with existing materials and gravel. The highways are maintained by Utah State road crews. All other roads are maintained by County crews.

The aforementioned dirt oil field service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area they are located in and range from clays to a sandy-clay shale material.

The roads for access during the drilling, completion and production phase will be maintained at the standards required by the State of Utah, or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal.

2. PLANNED ACCESS ROAD

Approximately 350' of access road is proposed. See attached Topographic Map "B".

The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%.

There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road.

There are no fences encountered along this proposed road. There will be no new gates or cattle guards required.

All construction material for this access road will be borrowed material accumulated during construction of the access road.

Ten Point Well Program & Thirteen Point Well Program Page 6 of 9

3. LOCATION OF EXISTING WELLS

Refer to EXHIBIT B.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

There are no existing facilities that will be used by this well.

It is anticipated that this well will be a producing oil well.

Upon construction of a tank battery, the well pad will be surrounded by a dike of sufficient capacity to contain at minimum 110% of the largest tank volume within the facility battery.

Tank batteries will be built to State specifications.

All permanent (on site for six (6) months or longer) structures, constructed or installed (including pumping units), will be painted a flat, non-reflective, earth tone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within six months of installation.

5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck for drilling purposes from the following water sources:

Johnson Water District Water Right: 43-7478

Neil Moon Pond

Water Right: 43-11787

Maurice Harvey Pond Water Right: 47-1358

Newfield Collector Well

Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

There will be no water well drilled at this site

6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location shall be borrowed material accumulated during construction of the location site and access road.

A mineral material application is not required for this location.

7. METHODS FOR HANDLING WASTE DISPOSAL

A small reserve pit (90' x 40' x 8' deep, or less) will be constructed from native soil and clay materials. The reserve pit will receive the processed drill cutting (wet sand, shale & rock) removed from the wellbore. Any drilling fluids, which do accumulate in the pit as a result of shale-shaker carryover, cleaning of the sand trap, etc., will be promptly reclaimed. All drilling fluids will be fresh water based, typically containing Total Dissolved Solids of less than 3000 PPM. No potassium chloride, chromates, trash, debris, nor any other substance deemed hazardous

Ten Point Well Program & Thirteen Point Well Program Page 7 of 9

will be placed in this pit. A 16 mil liner with felt will be required. Newfield requests approval that a flare pit be constructed and utilized on this location.

A portable toilet will be provided for human waste.

A trash basket will be provided for garbage (trash) and hauled away to an approved disposal site at the completion of the drilling activities.

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

8. **ANCILLARY FACILITIES:**

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. **WELL SITE LAYOUT:**

See attached Location Layout Sheet.

Fencing Requirements

All pits will be fenced according to the following minimum standards:

- a) A 39-inch net wire shall be used with at least one strand of barbed wire on top of the net.
- b) The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least forty-two (42) inches.
- c) Corner posts shall be centered and/or braced in such a manner to keep tight at all times
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than sixteen (16) feet.
- e) All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

10. PLANS FOR RESTORATION OF SURFACE:

a) Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, material, trash and junk not required for production.

Ten Point Well Program & Thirteen Point Well Program Page 8 of 9

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximated natural contours. Weather permitting, the reserve pit will be reclaimed within one hundred twenty (120) days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed.

b) Dry Hole Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and the State of Utah will attach the appropriate surface rehabilitation conditions of approval.

11. **SURFACE OWNERSHIP:** Bureau Of Land Management (Proposed location and access roads leading to).

12. OTHER ADDITIONAL INFORMATION:

- a) Newfield Production Company is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Newfield is to immediately stop work that might further disturb such materials and contact the Authorized Officer.
- b) Newfield Production will control noxious weeds along rights-of-way for roads, pipelines, well sites or other applicable facilities. On State administered land it is required that a Pesticide Use Proposal shall be submitted and given approval prior to the application of herbicides or other possible hazardous chemicals.
- c) Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on State Lands after the conclusion of drilling operations or at any other time without State authorization. However, if State authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities.

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #06-604, 1/22/07. Paleontological Resource Survey prepared by, Wade E. Miller, 11/15/03. See attached report cover pages, Exhibit "D".

Newfield Production Company requests 350' of disturbed area be granted in Lease UTU-017992 to allow for construction of the proposed surface gas lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a 10" or smaller gas gathering line, and a 3" poly fuel gas line, with a permanent width of 30' upon completion of the proposed gas lines. The construction phase of the proposed gas lines will last approximately (5) days. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."**

Newfield Production Company requests 350' of disturbed area be granted in Lease UTU-017992 to allow for construction of the proposed water lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a buried 3" steel water injection line and a buried 3" poly water return line, with a permanent width of 30' upon completion of the proposed water return line. The construction phase of the proposed water lines will last approximately (5) days. **Refer to Topographic Map "C."** In the event that the proposed well is converted to a water injection well, a separate injection permit will be applied for through the proper agencies.

Additional Surface Stipulations

'APIWellNo:43047509940000'

Ten Point Well Program & Thirteen Point Well Program Page 9 of 9

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations, Onshore Oil and Gas Orders, the approved plan of operations and any applicable Notice to Lessees. A copy of these conditions will be furnished to the field representative to ensure compliance.

Hazardous Material Declaration

Newfield Production Company guarantees that during the drilling and completion of the Greater Monument Butte 16-7-9-19, Newfield will not use, produce, store, transport or dispose 10,000# annually of any of the hazardous chemicals contained in the Environmental Protection Agency's consolidated list of chemicals subject to reporting under Title III Superfund Amendments and Reauthorization Act (SARA) of 1986. Newfield also guarantees that during the drilling and completion of the Greater Monument Butte 16-7-9-19 Newfield will use, produce, store, transport or dispose less than the threshold planning quantity (T.P.Q.) of any extremely hazardous substances as defined in 40 CFR 355.

A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling activities.

Newfield Production Company or a contractor employed by Newfield Production shall contact the State office at (801) 722-3417, 48 hours prior to construction activities.

The State office shall be notified upon site completion prior to moving on the drilling rig.

13. LESSEE'S OR OPERATOR'S REPRENSENTATIVE AND CERTIFICATION:

Representative

Name:

Tim Eaton

Address:

Newfield Production Company

Route 3, Box 3630

Telephone:

Myton, UT 84052 (435) 646-3721

Certification

Please be advised that Newfield Production Company is considered to be the operator of well #16-7-9-19, SE/SE Section 7, T9S, R19E, Uintah County, Utah and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Bond #WYB000493.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.


3/5/10


Date


Mandie Crozier

Regulatory Specialist

Newfield Production Company







Newfield Production Company Proposed Site Facility Diagram

Greater Monument Butte 16-7-9-19

SE/SE Sec. 7, T9S, R19E

Uintah County, Utah

UTU-017992




Exhibit "D"

CULTURAL RESOURCE INVENTORY OF NEWFIELD EXPLORATION'S BLOCK PARCEL (T9S R19E SECTIONS 4, 5, 6, 7, 8, 9 AND 17) UINTAH COUNTY, UTAH

By:

Kylie Lower-Eskelson and Jenn Mueller

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Newfield Exploration Company Route 3 Box 3630 Myton, Utah 84052

Prepared By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 06-604

January 22, 2007

United States Department of Interior (FLPMA)
Permit No. 06-UT-60122

State of Utah Antiquities Project (Survey)
Permit No. U-06-MQ-1665b

INLAND RESOURCES, INC.

PALEONTOLOGICAL FIELD SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, UINTAH COUNTY, UTAH

(Sections 3, 4, & 10, T 9 S, R 18 E; Section 7, T 9 S, R 19 E)

REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.

Prepared by:

Wade E. Miller Consulting Paleontologist November 15, 2003



Myton, Utah 84052 (435) 646-4825, FAX: (435) 646-3031

March 5, 2010

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Mason
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801


RE: Application for Permit to Drill **Greater Monument Butte 16-7-9-19**

Dear Diana:

The above mentioned location is an **Exception Location**. Our Land Department will send you the required exception location letter. If you have any questions, feel free to give either Tim Eaton or myself a call.

Sincerely,

Mandie Crozier Regulatory Specialist



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

March 15, 2010

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2010 Plan of Development Greater Monument

Butte Unit, Duchesne and Uintah Counties,

Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2010 within the Greater Monument Butte Unit, Duchesne and Uintah Counties, Utah.

API# WELL NAME LOCATION

(Proposed PZ GREEN RIVER)

 43-047-50970
 GMBU
 13-7-9-19
 Sec
 07
 T09S
 R19E
 0505
 FSL
 0554
 FWL

 43-047-50971
 GMBU
 14-8-9-19
 Sec
 08
 T09S
 R19E
 0454
 FSL
 1885
 FWL

 43-047-50972
 GMBU
 14-7-9-19
 Sec
 07
 T09S
 R19E
 0660
 FSL
 1968
 FWL

 43-047-50993
 GMBU
 12-7-9-19
 Sec
 07
 T09S
 R19E
 0424
 FSL
 0510
 FWL

 43-047-50995
 GMBU
 13A-8-9-19
 Sec
 08
 T09S
 R19E
 0417
 FSL
 0850
 FWL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Greater Monument Butte Unit
 Division of Oil Gas and Mining

Central Files
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:3-15-10

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED:	3/9/2010	A	API NO. ASSIGNED:	43047509940000
WELL NAME:	Greater Monument B	Butte 16-7-9-19		
OPERATOR:	NEWFIELD PRODUCT	TION COMPANY (N2695)	PHONE NUMBER:	435 646-4825
CONTACT:	Mandie Crozier			
PROPOSED LOCATION:	SESE 7 090S 190E	Pe	ermit Tech Review:	
SURFACE:	0424 FSL 0480 FEL	Er	ngineering Review:	
воттом:	0424 FSL 0480 FEL		Geology Review:	
COUNTY:	UINTAH			
LATITUDE:	40.03931		LONGITUDE:	-109.81474
UTM SURF EASTINGS:			NORTHINGS:	4432583.00
FIELD NAME:	PARIETTE BENCH			
LEASE TYPE:				
LEASE NUMBER:		PROPOSED PRODUCING FORMA		
SURFACE OWNER:	1 - Federal	CO	OALBED METHANE:	NO
RECEIVED AND/OR REVIEW	WED:	LOCATION AND SITING:		
PLAT	VLD.	R649-2-3.	ı	
PLAT		R049-2-3.		
▶ Bond: FEDERAL - WYB00)0493	Unit: GMBU (GRRV)		
Potash		R649-3-2. General		
Oil Shale 190-5				
Oil Shale 190-3		R649-3-3. Exception	n	
Oil Shale 190-13		✓ Drilling Unit		
✓ Water Permit: 43-7478		Board Cause No:	Cause 213-11	
RDCC Review:		Effective Date: 11	./30/2009	
Fee Surface Agreemen	t	Siting: Suspends G	General Siting	
Intent to Commingle		R649-3-11. Direction	onal Drill	
Commingling Approved				
Comments: Presite Cor	npleted			
Stipulations: 4 - Federa 27 - Other	al Approval - dmason r - bhill			



March 11, 2010

State of Utah, Division of Oil, Gas & Mining Attn: Diana Mason P.O. Box 145801 Salt Lake City, Utah 84114-5801

Re: Exception Location

Greater Monument Butte 16-7-9-19
Greater Monument Butte (Green River) Unit
UTU-017992
T9S-R19E Section 7: SESE
424' FSL 480' FEL

Uintah County, Utah

Dear Ms. Mason:

Pursuant to Rule R649-3-3 of the Oil & Gas Rules and Regulations of the State of Utah, Newfield Production Company hereby requests an exception location for the drilling of the captioned well. Rule R649-3-2 requires a well to be located in the center of a forty (40) acre quarter-quarter section, or a substantially equivalent lot or tract, with a tolerance of two hundred (200) feet in any direction from the center.

The above referenced location is an exception location under Rule 649-3-2, being 33' South of the drilling window tolerance for the SESE of Sec. 7-T9S-R19E. The attached plat depicts the proposed drillsite location and illustrates the deviation from the drilling window, in accordance with Rule R649-3-2. The requested location has been selected to avoid cactus habitat.

Please note the location is completely within the Greater Monument Butte Unit (UTU-87538X). Further, all surrounding acreage within a four hundred sixty foot (460') radius of the proposed location is within the Greater Monument Butte Unit.

Should you have any questions or concerns regarding the above, please feel encouraged to contact me via email at sgillespie@newfield.com or by phone at (303)383-4197. Your consideration in this matter is greatly appreciated.


Sincerely,

Newfield Production Company.

Shane Gillespie Land Associate

RECEIVED
MAR 1 5 2010

DIV. OF OIL, GAS & MINING



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: Greater Monument Butte 16-7-9-19

API Well Number: 43047509940000 Lease Number: UTU-017992 Surface Owner: FEDERAL Approval Date: 3/16/2010

Issued to:

NEWFIELD PRODUCTION COMPANY, Rt 3 Box 3630, Myton, UT 84052

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 213-11. The expected producing formation or pool is the GREEN RIVER Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

Production casing cement shall be brought up to or above the top of the unitized interval for the Greater Monument Butte Unit (Cause No. 213-11).

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at https://oilgas.ogm.utah.gov

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules

API Well No: 43047509940000

will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

Gil Hunt

Associate Director, Oil & Gas

Die Hunt

	FORM 9			
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-017992	
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	sals to drill new wells, significantly deepen o ugged wells, or to drill horizontal laterals. Us		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: GREATER MON BUTTE 16-7-9-19	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	IPANY		9. API NUMBER: 43047509940000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84		IE NUMBER:	9. FIELD and POOL or WILDCAT: PARIETTE BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0424 FSL 0480 FEL QTR/QTR, SECTION, TOWNSHI			COUNTY: UINTAH STATE:	
Qtr/Qtr: SESE Section: 07	Township: 09.0S Range: 19.0E Meridian: S		UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
-	ACIDIZE	☐ ALTER CASING	CASING REPAIR	
Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME	
3/16/2011	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE	
SUBSEQUENT REPORT	☐ DEEPEN	☐ FRACTURE TREAT	☐ NEW CONSTRUCTION	
Date of Work Completion:	☐ OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK	
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION	☐ SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
	☐ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL	
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Bate.	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:	
	MPLETED OPERATIONS. Clearly show all pert co extend the Application for Pe	permit to Drill for one year.	Approved by the Utah Division of Oil, Gas and Mining ate: 03/15/2011 y:	
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech		
SIGNATURE N/A		DATE 3/14/2011		



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047509940000

API: 43047509940000

Well Name: GREATER MON BUTTE 16-7-9-19

Location: 0424 FSL 0480 FEL QTR SESE SEC 07 TWNP 090S RNG 190E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

and revision ronowing is a checking of some items related to the application, which should be verifical
 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔵 Yes 🌘 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? No

Signature: Mandie Crozier **Date:** 3/14/2011

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 23716 API Well Number: 43047509940000

			·		
	STATE OF UTAH		FORM 9		
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-017992		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
	oposals to drill new wells, significantly de reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)		
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: GREATER MON BUTTE 16-7-9-19		
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43047509940000		
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		HONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: PARIETTE BENCH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0424 FSL 0480 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 19.0E Meridian:	S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
NOTICE OF INTENT Approximate date work will start: 3/16/2012	CHANGE TO PREVIOUS PLANS	ALTER CASING CHANGE TUBING	CASING REPAIR CHANGE WELL NAME		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN ORDER TO SUMMER	FRACTURE TREAT	CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK		
SPUD REPORT Date of Spud:	OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION	PLUG AND ABANDON RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL	RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON		
DRILLING REPORT	TUBING REPAIR WATER SHUTOFF	VENT OR FLARE	WATER DISPOSAL ✓ APD EXTENSION		
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
I .	COMPLETED OPERATIONS. Clearly show all p to extend the Application for P for one year.				
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech			
SIGNATURE N/A	100 010 1020	DATE 3/7/2012			

Sundry Number: 23716 API Well Number: 43047509940000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047509940000

API: 43047509940000

Well Name: GREATER MON BUTTE 16-7-9-19

Location: 0424 FSL 0480 FEL QTR SESE SEC 07 TWNP 090S RNG 190E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
natura. Mandia Craziar Data: 2/7/2012

Signature: Mandie Crozier Date: 3/7/2012

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

RECEIVED: Mar. 07, 2012

Sundry Number: 35345 API Well Number: 43047509940000

			FORM 9		
	STATE OF UTAH		FORM 9		
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ	G	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-017992		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
	oposals to drill new wells, significantly dee reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)		
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: GREATER MON BUTTE 16-7-9-19		
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43047509940000		
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		IONE NUMBER: xt	9. FIELD and POOL or WILDCAT: PARIETTE BENCH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0424 FSL 0480 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 0	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 19.0E Meridian:	s	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
3/16/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	L DEEPEN L	FRACTURE TREAT	☐ NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12 DESCRIPE PROPOSED OR		artinent details including detect	<u>, </u>		
I .	COMPLETED OPERATIONS. Clearly show all p to extend the Application for P				
Trownerd proposes t	to exteria the Appheation for t	omme to Dim tino won.	Utah Division of		
			Oil, Gas and Mining		
			Date: March 12, 2013		
			00/100 8		
			By:		
			-		
		I			
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech			
SIGNATURE		DATE			
N/A		3/5/2013			

Sundry Number: 35345 API Well Number: 43047509940000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047509940000

API: 43047509940000

Well Name: GREATER MON BUTTE 16-7-9-19

Location: 0424 FSL 0480 FEL QTR SESE SEC 07 TWNP 090S RNG 190E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
D 4 0/5/0040

Signature: Mandie Crozier Date: 3/5/2013

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 47881 API Well Number: 43047509940000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-017992
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: GREATER MON BUTTE 16-7-9-19
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43047509940000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT	, 84052 435 646-4825	PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: PARIETTE BENCH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0424 FSL 0480 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 7 Township: 09.0S Range: 19.0E Meridia	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
7	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
3/16/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	_		
	WILDCAT WELL DETERMINATION	OTHER .	OTHER:
l .	completed operations. Clearly show a construction for some construction for the construction		Approved by the Utah Division of Oil, Gas and Mining
			Date: February 18, 2014
			By: Bacylll
NAME (PLEASE PRINT)	PHONE NUMBI	ER TITLE	
Mandie Crozier	435 646-4825	Regulatory Tech	
SIGNATURE N/A		DATE 2/13/2014	

Sundry Number: 47881 API Well Number: 43047509940000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047509940000

API: 43047509940000

Well Name: GREATER MON BUTTE 16-7-9-19

Location: 0424 FSL 0480 FEL QTR SESE SEC 07 TWNP 090S RNG 190E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Mandie Crozier Date: 2/13/2014

Signature: Mandie Crozier **Date:** 2/13/2014

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 60186 API Well Number: 43047509940000

	FORM 9					
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-017992			
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)			
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: GREATER MON BUTTE 16-7-9-19			
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	9. API NUMBER: 43047509940000					
3. ADDRESS OF OPERATOR: PHONE NUMBER: Rt 3 Box 3630 , Myton, UT, 84052 435 646-4825 Ext			9. FIELD and POOL or WILDCAT: PARIETTE BENCH			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0424 FSL 0480 FEL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 07 Township: 09.0S Range: 19.0E Meridian: S			STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICATI	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION						
	ACIDIZE [ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
3/16/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN [FRACTURE TREAT	NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION			
DRILLING REPORT Report Date:		SITA STATUS EXTENSION				
	WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Newfield proposes to extend the Application for Permit to Drill this well. Approved by the Utebr Davis 021, 2015 Oil, Gas and Mining						
			Date:			
			By: Backgill			
NAME (PLEASE PRINT)	PHONE NUMBE					
Mandie Crozier	435 646-4825	Regulatory Tech				
SIGNATURE N/A		DATE 1/28/2015				

Sundry Number: 60186 API Well Number: 43047509940000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047509940000

API: 43047509940000

Well Name: GREATER MON BUTTE 16-7-9-19

Location: 0424 FSL 0480 FEL QTR SESE SEC 07 TWNP 090S RNG 190E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
natural Mandia Craziar Data: 1/29/2015

Signature: Mandie Crozier Date: 1/28/2015

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 70429 API Well Number: 43047509940000

			1
	FORM 9		
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-017992
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: GREATER MON BUTTE 16-7-9-19
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	9. API NUMBER: 43047509940000		
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84052 435 646-4825 Ext			9. FIELD and POOL or WILDCAT: PARIETTE BENCH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0424 FSL 0480 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SESE Section: 07 Township: 09.0S Range: 19.0E Meridian: S			STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
3/16/2016	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
Date or Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
_	L TUBING REPAIR		WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a to extend the Application for		
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBI 435 646-4825	R TITLE Regulatory Tech	
SIGNATURE N/A		DATE 3/15/2016	

Sundry Number: 70429 API Well Number: 43047509940000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047509940000

API: 43047509940000

Well Name: GREATER MON BUTTE 16-7-9-19

Location: 0424 FSL 0480 FEL QTR SESE SEC 07 TWNP 090S RNG 190E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
D 4 0/45/0040

Signature: Mandie Crozier Date: 3/15/2016

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY